



CLEANING LINE

by Bieffe Farinelli



Bieffe is promoter of the initiative **PERCHÉ BUTTARE?**[®] (Why throwing away?)
that encourages reconditioning as alternative to consumption



www.bieffeitalia.eu

✓ WATER/DETERGENT ✓ STEAM ✓ VACUUM ✓ INJECTION/EXTRACTION ✓ WET VACUUM CLEANER

EMILIO EMILIO RA

EMILIO PLUS EMILIO RA PLUS

Professional steam cleaner and wet and dry vacuum cleaner

Emilio is a range of machines that use the power of steam for cleaning and sanitization. Our machines are equipped with a copper boiler (explosion-proof material) and two external heating elements. Precise devices, the best ones on the market, such as thermostats, pressurestats, and solenoid valves, guarantee maximum safety by automatically controlling the proper operation. All the machines are equipped with a powerful wet/dry vacuum and a wide range of accessories, which enables the user to eliminate the dirt even from the most difficult and inaccessible places.

EMILIO - EMILIO PLUS - EMILIO RA



EMILIO RA PLUS



TROLLEY EMILIO (OPTIONAL)



HANDLES INCLUDED



CVP
Steam & Vac flexible
F/Bieffe EMILIO – 2mt



MGK01NW
Steam handle – 2mt

INCLUDED ACCESSORIES EMILIO - CLEAN VAPOR - CLEAN VAPOR JUNIOR



CVA
Steam/Vac lance acc.
holder D80



CVB
Small brush diam. 20
mm – PVC bristles



CVC
Vacuum nozzle – L
140 mm



CVD
Small brush
F/Heaters



CVE
Vacuum lance diam.
36 mm



CVF
Brush black Moplen
diam. 36 mm



CVG1
Steam & Vac
squeegee 150 Ne



CVG2
Insert rubber
squeegee 150 mm
for CVG1

TECHNICAL DATA

	EMILIO ref. BF089E	EMILIO PLUS ref. BF089EPL	EMILIO RA ref. BF089RE	EMILIO RA PLUS ref. BF089REPL
POWER	220-240V 50-60 Hz	220-240V 50-60 Hz	220-240V 50-60 Hz	220-240V 50-60 Hz
BOILER VOLUME	2,8 lt	2,8 lt	2,4 lt	2,4 lt
BOILER REFILL	Manual	Manual	Automatic	Automatic
BOILER POWER	1000W+1000W	1000W+1000W	1000W+1000W	1000W+1000W
STEAM TEMPERATURE (BOILER)	165°C	165°C	165°C	165°C
STEAM PRESSURE	6 bar	6 bar	6 bar	6 bar
STEAM PRODUCTION	43 g/m	43 g/m	43 g/m	43 g/m
LIQUID/DUST VACUUM POWER	1400W two-stage	1400W two-stage	1400W two-stage	1400W two-stage
ASPIRATOR DEPRESSURE	203 mc/h	203 mc/h	203 mc/h	203 mc/h
STEEL DRUM CAPACITY	14 lt	14 lt	14 lt	14 lt
DIMENSIONS	36x36x65 cm	36x36x65 cm	36x36x65 cm	36x36x65 cm
WEIGHT	20,5 kg	21,5 kg	21,5 kg	22 kg

✔ HOT WATER/DETERGENT ✔ STEAM ✔ VACUUM ✔ INJECTION/EXTRACTION ✔ WET VACUUM CLEANER

CLEAN VAPOR CLEAN VAPOR PLUS CLEAN VAPOR JUNIOR

Steam generator for cleaning with vacuum cleaner, wet vacuum cleaner and detergent

Clean Vapor is a range of machines developed for the cleaning and hygiene of public premises (hotels, restaurants, food stores, hospitals, beauty centers, and gyms) as for laboratories (bakeries, pastry shops, cheese factories, dental technicians, and medical studies), where the maximum hygiene is required according to the European norms of self-control HACCP.

All machines are equipped with a powerful wet/dry vacuum and a wide range of accessories, which enables the user to eliminate dirt even from the most difficult and inaccessible places. Optional accessories connected to the machines allow the treatment of special surfaces (upholstery, sofas, armchairs, parquet, etc.) or the removal of resistant dirt (chewing gum, etc.).

CLEAN VAPOR - CLEAN VAPOR PLUS



CLEAN VAPOR JUNIOR



HANDLES INCLUDED



CVPCV
Steam & vac Flex. F/
Bieffe Clean V. - L 2 mt



MGK01NW
Steam handle - 2mt

INCLUDED ACCESSORIES EMILIO - CLEAN VAPOR - CLEAN VAPOR JUNIOR



CVG3
Insert Squeegee 150
mm. - Pvc bristles



CVH
Steam & Vac nozzle
diam. 13 300 mm
black



CVI
Rubber insert diam 13
300 mm



CVL
Strip/Bristles insert
diam. 13 300 mm



CVM
Slide insert diam. 13
300 mm - M



CVON (X2)
Steam & vac
extension L 40 mm



MGK04N
Steam lance



MGLND
Curved small brush
diam. 26 mm for
MGK04N - Nylon
bristles

TECHNICAL DATA

	CLEAN VAPOR JUNIOR ref. BF090JN	CLEAN VAPOR ref. BF090E	CLEAN VAPOR PLUS ref. BF090EPL
POWER	220-240V 50-60 Hz	220-240V 50-60 Hz	380V 50-60 Hz
BOILER CAPACITY	3,5 lt	5 lt	5 lt
BOILER REFILL	Automatic	Automatic	Automatic
BOILER POWER	1300W+1300W	1500W+1500W	1500W+1500W+1500W
STEAM TEMPERATURE (BOILER)	180°C	190°C	190°C
STEAM PRESSURE	6 bar	6 bar	6 bar
STEAM PRODUCTION	53 g/m	60 g/m	90 g/m
LIQUID/DUST VACUUM POWER	1300W two-stage	1400W two-stage	1400W two-stage
WATER/DETERGENT TANK	5 lt	10 lt	10 lt
STEEL DRUM CAPACITY	20 lt	23 lt	23 lt
DIMENSIONS	30x56xh100h cm	40x59xh115h cm	40x59xh115h cm
WEIGHT WITH ACCESSORIES	31 kg	40 kg	44,5 kg

✔ HOT WATER/DETERGENT ✔ STEAM ✔ VACUUM ✔ INJECTION/EXTRACTION ✔ WET VACUUM CLEANER

ECOWASH

Professional steam generator for car-wash and industrial use

ECOWASH is a powerful steam generator designed for cleaning large industrial and public sites. The range of action for the use of steam generators of this line is very wide: from professional kitchens, hotel rooms, swimming pools, warehouses, and industrial premises (tool cleaning and industrial equipment) to food production. The accessories used for ECOWASH give the possibility to treat different surfaces: upholstery, sofas, armchairs, parquet, tiles, metal, and plastic; it also removes chewing gum.



BF4000 BF4000VACUUM

High-pressure steam cleaner

High-pressure steam generator, available in two versions: with and without vacuum. It is the ideal machine for industrial cleaning in general and for steam car washing, also at home. BF 4000 is a diesel-powered steam generator that delivers 35kW of steam (42Kg/h). The steam and detergent functions can be actuated directly on the gun with the mechanical and quick control system.

INCLUDED ACCESSORIES ECOWASH e BF4000

Mechanical lances	
	RIP2314 - Steam lance "heavy duty" 45° - 300 mm
	RIP0406 - Steam gun Hose BF4000 8mt
	RIP2321 - Straight steam wand – 200 mm
	RIP2322 - Steam lance Athermic bent – 900 mm
	RIP2323 - Steam lance Athermic bent – 1200 mm

Mechanical steam/detergent lances	
	RIP0401 - L20cm hose 7mt
	RIP0402 - L50cm hose 7mt
	RIP0403 - L130cm hose 7mt



Handles for upholstery or floors/surfaces	



TECHNICAL DATA

	ECOWASH ref. BF320	ECOWASH ref. BF320PL	ECOWASH ref. BF320PLBFR	BF4000 VAPOR ref. BF601	BF4000 VACUUM ref. BF602
POWER	220V-240V 50-60Hz	380V 50/60Hz	380V 50/60Hz	220V-240V 50Hz	220V-240V 50Hz
BOILER POWER	Electric			Diesel fuel tank 45 lt	
BOILER POWER	3000W	4500W	6500W	350W 220V + 1200W	350W 220V + 1200W
BOILER CAPACITY	5 lt	5 lt	5 lt	16 lt	16 lt
STEAM PRESSURE	6 bar	6 bar	6 bar	10,5 bar	10,5 bar
STEAM TEMPERATURE (BOILER)	180°C	180°C	180°C	180°C	180°C
STEAM PRODUCTION	60 g/min	90 g/m	130 g/min	700 g/min	700 g/min
STEAM OUTLETS	3	3	3	10 bar	10 bar + 6 bar
VACUUM ENGINE	1200W	1200W	1200W	-	1200W
VACUUM NOISE LEVEL	62 dB(A)	62 dB(A)	62 dB(A)	-	62 dB
STEEL DRUM VOLUME	20 lt	20 lt	20 lt	-	20 lt
WATER TANK	10 lt	10 lt	10 lt	WATER SUPPLY/TANK 10 lt	
DETERGENT TANK	10 lt	10 lt	10 lt	3 lt	3 lt
SIMULTANEOUS INJECT/EXTRACT/HOT WATER	✔	✔	✔	✔	✔
SIMULTANEOUS STEAM/ASPIRATION/HOT WATER	✔	✔	✔	✔	✔
TWO STEAM OUTLETS (FOR MORE OPERATORS AT THE SAME TIME)	Injection/extraction lance + Steam gun			2 Steam guns	
DIMENSIONS	58x63xh108 cm	58x63xh108 cm	58x63xh108 cm	110x70x90h cm	110x70x90h cm
WEIGHT	45 kg	45 kg	45 kg	110 kg	135 kg

ACCESSORIES AVAILABLE

BIEFFE offers a wide range of handles and accessories for various applications, and detergents for specific uses. See below for some of our solutions.

Small brushes diam.26 for MGK04N



- MGLND - Nylon bristles
- MGLNE - Brass bristles

Steam/water/vacuum handles for upholstery



- CVK21E - 4mt
- CVK21EC - 5mt
- CVK21ED - 8mt

Brushes for mechanical lances diam.60/80 1/8 F



- RIP5171 - diam.60 PVC bristles
- RIP5172 - diam.60 brass bristles
- RIP5173 - diam.60 steel bristles
- RIP5174 - diam.60 natural bristles
- RIP5175 - diam.80 brass bristles
- RIP5176 - diam.80 steel bristles

Small brushes diam.20 M10 for RIP0603



- RIP5221 - Nylon bristles
- RIP5222 - Steel bristles
- RIP5223 - Brass bristles
- RIP5224 - Pekalon bristles

Small brushes diam.28 for MGK04NC



- MGLN - Nylon bristles
- MGLNA - Steel bristles
- MGLNB - Brass bristles
- MGLNC - Pekalon bristles



MGK01E05
Steam gun flex 5mt



RIP0603
Steam gun 1 exit with corrugated tube



MGK04NC
Curved steam lance 400 mm



MGK04AN
Curved steam lance brass 12cm



MGK04BN
Steam lance brass extension 19cm



CVK20
Steam/vacuum nozzle for upholstery



CVEB
Inject./extract. nozzle for carpet floors 280mm



CVK71
Steam/vacuum brush with brass bristles for kitchen



CVG4
Brush with brass bristles for CVG1



CVG3B
Brush with nylon hard bristles for CVG1



CVK20S
Transparent nozzle inject./extract.



CVG
Nozzle for windows inject./extract. 250mm



CVK36N
Sanitizer nebulizer for MGK01



CVK37N
Sanitizer nebulizer for CVP



CVK51
Steel extension inject./extract. 1mt



CVT
Nozzle for carpet floor inject./extract. 240mm



CVK30
Tube inject./extract. for chewing-gum 1mt



CVCG
Nozzle inject./extract. for chewing-gum



CVK49
Steam & vac tool F/ Carpet 100 cm



CVK11
Flexible vacuum hose F/CVK11 - L 3mt



RIP0801
Steam mop Professional - 5mt



CVK54
Steam & vac nozzle F/ Helmets



CV118
Vacuum blowing motor



CVH2
Steam & Vac nozzle diam 12 400 mm black



CVM2
Insert slide diam. 12 400 mm - M2



CVI2
Insert rubber D12 400 mm - I2



CVL2
Insert Strip/Bristles diam. 12 400 mm - L2



CVK106
Silicone brush steam & vacuum

DETERGENTS



Removing chewing gum, floors and upholstery, degreasing, hydrogen peroxide, alcohol...

SWEEPERS



FLASH BIEFFE
Line of sweepers for gyms, driveways, workshops, industries, etc.

DRYING



CARFON
Dryer for car interiors, seats and upholstery

OZONE FOR SANITIZATION



OZONO BIEFFE e OZONO BIEFFE PLUS
Ozone generator for sanitization of small/medium environments



Via Costa di Fagnano 3, 61122 Pesaro (PU), Italy
T/Whatsapp +39 0721.28.18.57 - info@bieffeitalia.it - www.bieffeitalia.it
f bieffefarinelli y Bieffe Farinelli i bieffe_farinelli

✔ STEAM ✔ VACUUM ✔ INJECTION/EXTRACTION

MAGIC VAPOR

Steam generator for cleaning and ironing



✔ STEAM ✔ VACUUM ✔ INJECTION/EXTRACTION

MAGIC VAPOR RA MAGIC VAPOR RA 3kW

Steam generator for cleaning with automatic water refilling system



AVAILABLE TROLLEY
ACCESSORY-HOLDER BF503/BF504

INCLUDED ACCESSORIES MAGIC VAPOR / MAGIC RA



MGK01NW
Steam handle - 2mt



MGK02N (X2)
Steam extension
Konfort 41 cm



MGK03N
Connector tool
Konfort



MGK04N
Steam lance



MGLND
Curved small brush
diam. 26 mm for
MGK04N - Nylon
bristles



MGK06N
Triangular
steam brush



MGK07N
Rectangular steam
brush W/Hook



MGK05N
Steam squeegee
Konfort

AVAILABLE **MICROFIBRE MOP**



✔ STEAM ✔ INJECTION/EXTRACTION

STEAM 3000

Steam generator for cleaning



INCLUDED ACCESSORIES



MGK01E05
Steam handle 5mt



CVK36N
Steam nebulizer



MGK04N
Steam lance



MGLND
Curved small brush
diam. 26 mm for
MGK04N - Nylon
bristles

AVAILABLE **DOUBLE STEAM OUTPUT**
AVAILABLE **KIT CLEANING BARRELS**

TECHNICAL DATA

	MAGIC VAPOR ref. BF005/ BF002	MAGIC VAPOR RA ref. BF009	MAGIC VAPOR RA 3kW ref. BF009PL	STEAM 3000 ref. BF420	STEAM 3000 ref. BF420PL	STEAM 3000 ref. BF420PL2
POWER	220-240V 50-60 Hz	220-240V 50-60 Hz	220-240V 50-60 Hz	220-240V 50-60 Hz	380V 50-60 Hz	380V 50-60 Hz
BOILER CAPACITY	2,8 lt	2,4 lt	2,8 lt	5 lt	5 lt	5 lt
BOILER REFILL	Manuale	Automatica	Automatica	Automatica	Automatica	Automatica
BOILER POWER	1300W	1200W+1200W	3000W	3000W	4500W	6500W
STEAM TEMPERATURE (BOILER)	165°C	165°C	165°C	180°C	180°C	180°C
STEAM PRESSURE	4,8 bar	6 bar	6 bar	6 bar	6 bar	6 bar
STEAM PRODUCTION	26 g/m	48 g/m	60 g/m	58 g/min	90 g/min	130 g/min
DIMENSIONS	25x38x30h cm	27x39x39h cm	28,5x38x48 cm	48x36x100 cm	48x36x100 cm	48x36x100 cm
WEIGHT NO ACCESSORIES	8 kg	9 kg	11 kg	31 kg	31 kg	31 kg
WEIGHT WITH ACCESSORIES	10 kg	11 kg	13 kg	33,5 kg	33,5 kg	33,5 kg
ADJUSTABLE STEAM SYSTEM	✔	✔	✔	✔	✔	✔
PREDISPOSITION IRONING USE	✔	✔	✔	-	-	-